Minnesota Wildlife Habitat Evaluation System - Cropland Habitat

1. HABITAT INVENTORY

		Field(s)#						Example
a.	Residue Management							
	 No fall tillage (undisturbed) Overwinter residue 30-50% Overwinter residue <30% w/food plots Fall moldboard plow or <30% residue 	5	20 7 4 1	20 7 4 1	20 7 4 1	20 7 4 1	20 7 4 1	20 < 7 4 1
b.	Crop Rotation							
	Small grain/row crop/legume or strip cropping		10	10	10	10	10	10 4 <
	Small grain/row cropCont. small grain or row crop		4 2	4 2	4 2	4 2	4 2	2
c.	Field Border (minimum 10' width)							
	 Border around >50% of field Border around 25-50% of field Border around <25% of field 		10 8 3	10 8 3	10 8 3	10 8 3	10 8 3	10< 8 3
d.	Distance to Concealment Cover or Woodlate > 0.25 ac (measured from center of field)	<u>nd</u>						
	 < 660' 660'-1320' 1320'-2640' >2640' 		10 6 3 1	10 6 3 1	10 6 3 1	10 6 3 1	10 6 3 1	10 6 < 3 1
	TOTAL POINT (max 50 pts)	гѕ						<u>40</u>

2. CROPLAND HABITAT VALUE

Field cropland HSI	=	average	of	total	points
=		_		70	_

50

add 0.1 to the cropland HSI if any of the following features are present: BONUS POINTS:

field windbreakshedgerowsfield borders/headlands - cover crop - food plots

Existing Condition	 Alt #1	Alt #2	Example <u>40/50=.80</u>
Habitat Acres	 		<u>80</u>

Minnesota Wildlife Habitat Evaluation System Shelterbelt Habitat


Shelterbelt No. ____ Example

1. HABITAT INVENTORY

A. Average height of the two tallest shelterbelt rows, or projected height.




<u>0.5</u>




B. Number of shelterbelt rows, or average width.


<u>0.8</u>




C. Number of woody plant species.

<u>0.8</u>






<u>0.6</u>



- 1) shrubs only
- 2) trees only
- 3) trees and shrubs, with an outside shrub row
- 4) trees and shrubs, with two or more outside shrub rows, with at least one conifer row on the inside

E. Shelterbelt size.

(Minimum Value= 0.3)



F. Livestock Grazing

Shelterbelt grazed Shelterbelt ungrazed 0 1.0

2. HABITAT VALUE:

Shelterbelt HSI = $\begin{bmatrix} a \times (\underline{b+c+d}) \\ 3 \end{bmatrix} \times e \end{bmatrix} \times f$

BONUS: add 0.1 to the shelterbelt HSI if shelterbelt is within 1/4 mi of a winter food plot

Existing Condition

Alt#1

Alt #2

Example $5x (.8) \times .3 \times 1.0 = .24$

Habitat Acres

<u>3.0</u>


0.8

Minnesota Wildlife Habitat Evaluation System Field Windbreak Habitat


Windbreak No. ____ Example

1. HABITAT INVENTORY

A. Average height of the windbreak:




B. Windbreak Pruning: _____ <u>1.0</u>



- 1) lower branches pruned
- 2) lower branches pruned, however substantial regrowth has occurred
- 3) windbreak not pruned

C. Adjacent cropfield use: 0.4



- 1) row crops
- 2) small grain
- 3) hayland
- 4) undisturbed herbaceous cover

D.	Windbreak	configurat	ion

0.6



0.8




0.4



0.0

- 1) shrubs only
- 2) trees only
- 3) alternating trees and shrubs, or multi row.

E. Number of rows:



Number of Rows

2. HABITAT VALUE:

Field Windbreak HSI =
$$(\underline{a+b+c+d})$$
 x e

add 0.1 to the field windbreak HSI if the windbreak connects areas of undisturbed grass or trees. BONUS:

Existing Condition

$$\frac{3.0}{4} \times 0.6 = .45$$

Habitat Acres

<u>20.0</u>

Minnesota Wildlife Habitat Evaluation System Grassland Habitat (includes permanent pasture, hayland, CRP/RIM, roadsides, conservation practices etc)

1.	HABITAT INVENTORY						
	Field(s) #						Example
a.	Vegetative Cover Height (April 15)						
	• >12"	10	10	10	10	10	10
	• 4"-12"	4	4	4	4	4	4<
	• <4"	1	1	1	1	1	1
) .	Herbaceous Vegetation Management.						
	Undisturbed or prescribed management	20	20	20	20	20	20
	• Mowed between 8/1 & 8/15	10	10	10	10	10	10<
	Rotational grazed pastureMowed after 8/15 or unmanaged pasture	6 3	6	6	6	6	6 3
	 Mowed after 8/15 or unmanaged pasture Mowed before 7/15, or annually burned 	1	1	1	1	1	1
c.	Vegetative Composition						
	• > 3 native species (grass and forbs)	10	10	10	10	10	10
	native species, orDomestic grass legume mixture	6	6	6	6	6	6<
	 Mixed domestic grasses 	3	3	3	3	3	3
	Monotypic domestic grasses or Reed Canary grass	1	1	1	1	1	1
1.	Size						
	• > 40 acres	10	10	10	10	10	10
	• 20 - 40 acres	6	6	6	6	6	6
	• 10 -20acres	3	3	3	3	3	3<
	• < 10 acres	1	1	1	1	1	1
.	Configuration						
	• Minimum width, > 300'	10	10	10	10	10	10
	• Minimum width, 100 - 300'	6	6	6	6	6	6<
	• Minimum width < 100'	3	3	3	3	3	3
	TOTAL POINTS (max 60 pts)						<u>29</u>
2.	GRASSLAND HABITAT VALUE						
	Field Grassland HSI = $\frac{\text{average of total points}}{60}$						
Bonus	: Add 0.1 to the grassland HSI if grassland is adjacent to a wa	atercourse	(stream,	ditch, la	ke, wetla	nd).	
Existii	ng Condition Alt #1	Alt #2	2		Exam	ple 29/6 0	0=.48

Habitat Acres

Minnesota Wildlife Habitat Evaluation System - Deciduous Woodland

1. HABITAT INVENTORY

	Field(s)#						Example
a.	Grazing:						
	 Woodland ungrazed NRCS approved prescribed grazing plan Woodland unmanaged grazing 	20 5 0	20 5 0	20 5 0	20 5 0	20 5 0	20 < 5 0
b.	Tree Species Diversity						
	 >8 species; mixed size class 4-8 species; mixed size class 2-4 species; and/or one size class 1 species Planned conversion to agricultural use 	10 6 3 1 0	10 6 3 1 0	10 6 3 1 0	10 6 3 1 0	10 6 3 1 0	10 6 < 3 1 0
c.	Snags and cavity trees						
	>8 per acre3-8 per acre<3 per acre	10 5 1	10 5 1	10 5 1	10 5 1	10 5 1	10 5 < 1
d.	Understory						
	 Mostly brushpiles, shrubs, herb. plants Scattered brushpiles, shrubs, herb. plants None to few shrubs, herbaceous plants 	10 5 1	10 5 1	10 5 1	10 5 1	10 5 1	10 < 5 1
e.	Mast producing trees (see glossary)						
	 Predominantly mast producers Scattered mast producers None to few mast producers 	10 5 1	10 5 1	10 5 1	10 5 1	10 5 1	10 5 < 1
	TOTAL POINTS (max 60 pts)						<u>46</u>

2. WOODLAND HABITAT VALUE

Field woodland $HSI = \underline{\text{average of total points}}$

60

BONUS: add 0.1 to the woodland HSI for a wooded riparian zone >200' in width.

add 0.1 to the woodland HSI if woodland is managed under a Forest Stewardship Plan.

subtract 0.1 from the woodland HSI for understory dominated by prickly ash, common buckthorn, or

State listed noxious weeds.

Existing Condition	 Alt #1	Alt #2	Example	<u>46/60=0.77</u>
Habitat Acres	 		25	5.0

Minnesota Wildlife Habitat Evaluation System - Conifer Dominated Woodland

1. HABITAT INVENTORY

	Field(s)#						Example
a.	<u>Grazing:</u>						
	 Woodland ungrazed NRCS approved prescribed grazing plan Woodland unmanaged grazing 	10 1 0	10 1 0	10 1 0	10 1 0	10 1 0	10< 1 0
b.	Tree Species Composition/Structure:						
	 >4 conifer species; mixed size class Aspen/Birch with conifer understory 2-4 conifer species 1 specie, or single size class Planned conversion to agricultural use 	20 15 8 2 0	20 15 8 2 0	20 15 8 2 0	20 15 8 2 0	20 15 8 2 0	20 15< 8 2 0
c.	Snags and cavity trees:						
	>8 per acre3-8 per acre<3 per acre	10 5 1	10 5 1	10 5 1	10 5 1	10 5 1	10 5 < 1
d.	<u>Understory</u>						
	 Mostly brushpiles, fruiting shrubs Scattered brushpiles, fruiting shrubs Plantation with few shrubs or herbaceous plants 	20 5 1	20 5 1	20 5 1	20 5 1	20 5 1	20 5<
e.	Contiguous stand size:	10 7 3 1	10 7 3 1	10 7 3 1	10 7 3 1	10 7 3 1	10 7 3 1<
TOTA (max '	L POINTS 70 pts)						<u>36</u>
	WOODI AND HADITAT VALUE						

2. WOODLAND HABITAT VALUE

Field woodland HSI =<u>average of total points</u> 70

BONUS: Add 0.1 to the woodland HSI for a wooded riparian zone >200' in width. Add 0.1 to the woodland HSI if woodland is managed under a Forest Stewardship Pl					
Existing Condition	on	Alt #1	Alt #2	Example	<u>36/70=0.5</u>
Habitat Acres					<u>75.0</u>

1.	Site(s)# WETLAND DIVERSITY						Example
a.	WETLAND CLASS RICHNESS (see appendix on back)						
	Three or more classesTwo classesOne class	10 6 3	10 6 3	10 6 3	10 6 3	10 6 3	10 6< 3
b.	DOMINANT SUBCLASS (see appendix on back)						<u>10.0</u>
c.	SIZE						
d.	 10+ acres 5-10 acres 2-5 acres <2 acres SURROUNDING HABITAT (w/in 200' of wetland edge)	10 8 6 3	10 8 6 3	10 8 6 3	10 8 6 3	10 8 6 3	10 8 < 6 3
u.	(see appendix on back)						<u>6.0</u>
e.	INTERSPERSION						
	 Hemi-marsh Primarily emergent veg. w/interspersed open water. Primarily single species,or low species diversity 	10 6 3	10 6 3	10 6 3	10 6 3	10 6 3	10< 6 3
f.	<u>JUXTAPOSITION</u>						
	 Site type is locally/regionally scarce Site is part of a wetland complex Site not part of a wetland complex 	10 6 2	10 6 2	10 6 2	10 6 2	10 6 2	10 6 < 2
2.	WETLAND MANAGEMENT						
a.	 Managed to increase diversity of plants, water level, duration. 	10	10	10	10	10	10
	 Protected from uncontrolled fire, overgrazing, buffer present 	8	8	8	8	8	8<
	 Wetland frequently cropped Planned conversion to non-wetland without mitigation 	2	2	2	2	2	2 0
	TOTAL POINTS						<u>54</u>
b.	Multiply total points by 0.5 if hydrologically altered.						
0.	ADJUSTED TOTAL						54_
NOTE:	If any rating above is 0, the criteria is not met.						
3. HE	RBACEOUS WETLAND HABITAT						
	Wetland Site HSI = $\frac{\text{average of total points}}{70}$						
Existin	g Condition Alt #1		Alt #2	2	_	Exan	iple <u>54/70=.77</u>
Habitat	Acres				_		<u>5.0</u>

APPENDIX

Item 1A Item 1B

CLASS	NWI MAP	SUBCLASS	Item B RANKING
Open Water	PABG,H Lacustrine	vegetated non-vegetated	4 2
Deep Marsh	PEMF,G		10
Shallow Marsh	PEMC,F	ungrazed/hayed or cropped grazed/hayed frequently cropped	d 10 4 2
Meadow	PEMA,B	ungrazed/hayed or cropped grazed/hayed frequently cropped	d 6 4 2
Shrub Swamp PSS	S	ungrazed grazed	8 2

Item 1D Predominant habitat within 200' of wetland

		RANKING
IF - Su	urrounding habitat is more than 75% permanent grass or woody vegetation.	10
IF -	Surrounding habitat is 25% - 75% permanent grass or woody vegetation.	6
All Oth	ner Possibilities	2

Minnesota Wildlife Habitat Evaluation System - Wooded Wetland

	Site(s)#					Example
1.	WETLAND DIVERSITY					
a.	WETLAND CLASS RICHNESS (see appendix on back)					
	• Four classes	10	10	10	10	10
	• Three classes	8	8	8	8	8 <
	• Two classes	6	6	6	6	6
	• One class	4	4	4	4	4
b.	DOMINANT CLASS					
	(see appendix on back)					<u>8.0</u>
c.	SIZE					
	• Over 500 acres	10	10	10	10	10
	• 100-499 acres	8	8	8	8	8
	• 50-99 acres	6	6	6	6	6
	• 10-49 acres	4	4	4	4	4<
	• <10 acres	2	2	2	2	2
d.	SURROUNDING HABITAT					
	(see appendix on back)					<u>2.0</u>
e.	<u>JUXTAPOSITION</u>					
	• Permanently connected by streams to other wetlands or open water		8	8	8	8
	 Seasonally connected by streams to other wetlands or open water. All others 	6 4	6 4	6 4	6 4	6< 4
		7	7	7	7	7
2.	WETLAND MANAGEMENT					
	Managed to increase diversity of plants, water level, duration	10	10	10	10	10
	 Protected from uncontrolled fire, and grazing 	8	8	8	8	8<
	Wetland frequently grazed	3	3	3	3	3
	Planned conversion to non-wetland without mitigation	0	0	0	0	0
	TOTAL POINTS					<u>36</u>
b.	Multiply total points by .5 if hydrologically altered.					_
U.						
	ADJUSTED TOTAL					36
NOTE:	If any rating above is 0, the criterion is not met.					
3. WO	ODED WETLAND HABITAT VALUE					
	Wetland Site HSI = $\frac{\text{average of total points}}{56}$					
Existing	Condition Alt #1	Alt #2		-	Examp	ole <u>36/56=.64</u>
Habitat	Acres					<u>10.0</u>

APPENDIX

Item 1A		Item 1B
CLASS	Typical NWI	Item B RANKING
Shrub Swamp	PSS	8
Wooded Swamp	PFO1	8
Bottomland Hardwood	PFO1	8
Bog	PSS,PFO1,PEMB	6
Bog	PSS,PFO1,PEMB	6

Item D Predominant habitat within 200' of wetland.

		RANKING
II	Surrounding habitat is more than 75% permanent grass or woody vegetation	10
II	Surrounding habitat is 25% - 75% permanent grass or woody vegetation	6
A	ll Other Possibilities	2

Minnesota Wildlife Habitat Evaluation System Farmland Region - Habitat Quantity and Diversity

1. HABITAT INVENTORY

(these values apply to the entire farm/tract being evaluated)

a. <u>Cropland Quantity:</u>

Percent of farm/tract in cropland:

•	40-80	10
•	10-40 or 80-90	4
•	<10 or >90	2

b. Grassland Quantity (including herbaceous wetlands):

Percent of farm/tract in grassland

•	20-40	10
•	10-20 or 40-80	4
•	<10 or >80	2

c. Woodland Quantity (including wooded wetlands):

Percent of farm/tract in woodland:

•	<10	10
•	10-20	4
•	>20	2

2. DIVERSITY OF HABITAT: (cropland, grassland, woodland, wetland, lakes/ponds) (measured from the center of the farm/tract)

Distance			No. of different cover types		
	!	>4	2-3	1	
	!				
<1320'	!	10	8	4	
1320-2640'	!	8	6	2	
2640-5280'	!	6	4	0	
>5280'	!	4	2	0	

Circle the appropriate rating in each distance catagory, and score the single highest value.

NOTE: If any rating above is 0, the criterion is not met.

2. HABITAT QUANTITY/DIVERSITY VALUE

Farm/Tract Quantity-Diversity $HSI = \underline{total\ points}$

40

Existing Condition	Alt #1	Alt #2	_ Example <u>20/40=.5</u>
---------------------------	--------	--------	---------------------------

Minnesota Wildlife Habitat Evaluation System Habitat Quantity and Diversity Northern & Southern Forest Regions



(these values apply to the entire farm/tract being evaluated)

a. <u>Cropland Quantity:</u>

Percent of farm/tract in cropland:

•	20-40	10
•	10-20 or 40-80	4
•	<10 or >80	2

b. Grassland Quantity (including herbaceous wetlands):

Percent of farm/tract in grassland

•	<10	10
•	10-30	4
•	>30	2

c. <u>Woodland Quantity (including wooded wetlands):</u>

Percent of farm/tract in woodland:

•	50-80	10
•	20-50	4
•	<20 or >80	2

2. DIVERSITY OF HABITAT: (cropland, grassland, woodland, wetland, lakes/ponds) (measured from the center of the farm/tract)

Distance			No. of different cover types		
	!	>4	2-3	1	
	!				
<1320'	!	10	8	4	
1320-2640'	!	8	6	2	
2640-5280'	!	6	4	0	
>5280'	!	4	2	0	

Circle the appropriate rating in each distance catagory, and score the single highest value.

NOTE: If any rating above is 0, the criterion is not met.

2. HABITAT QUANTITY/DIVERSITY VALUE

Farm/Tract Quantity-Diversity HSI = total points

40

Existing Condition	Alt #1	Alt #2	Example	20/40=.5

MINNESOTA WILDLIFE HABITAT EVALUATION SYSTEM SUMMARY WORKHEET

Landuser			Planner		
Location			Farm/Tract #	Date	
HABITAT TYPE	HSI	ACRES	WEIGHTED HSI		PLAN. UNIT HSI <u>1</u> /
		EXIS	TING CONDITION		
Cropland Shelterbelt Field Wndbrk. Grassland Woodland (D) Woodland (C) Wetland (H) Wetland (W) Diversity SUM	XXXXXXXXXXX(C)	= = =)=(A)	$\left[\frac{\mathbf{A}}{\mathbf{B}}\right]^{+}\left[\frac{\mathbf{C}}{2}\right] \times .5$
		Al	LTERNATIVE 1		
Cropland Shelterbelt Field Wndbrk. Grassland Woodland (D) Woodland (C) Wetland (H) Wetland (W) Diversity SUM	XXXXX	= = = = = = = = (C)			$\left[\frac{\underline{A}}{\underline{B}}\right] + \left[\frac{\underline{C}}{2}\right] \times .5$
		Al	LTERNATIVE 2		
Cropland Shelterbelt Field Wndbrk. Grassland Woodland (D) Woodland (C) Wetland (H) Wetland (W) Diversity	X X X X X X X	= = = = = = = = = = = = = = = = = = =			$\left[\left(\frac{\mathbf{A}}{\mathbf{B}}\right) + \left(\frac{\mathbf{C}}{2}\right)\right] \times .5$
SUM		(B)) =(A)		

QUALITY CRITERIA

1/ In order to meet the Field Office Technical Guide Quality Criteria for Animal (Wildlife), the Habitat Suitability Index (HSI) for the entire planning unit must be greater than or equal to 0.50, and any habitat type comprising more than 25 percent of the planning unit acreage must have a HSI greater than or equal to 0.50 for than habitat type. In general, a HSI below 0.25 indicates poor habitat, between 0.25 and 0.5 is fair habitat, 0.5 to 0.75 is good, and above 0.75 is excellent habitat.